


# Countmaster CL 464



Stack feeder



Address: Böllinger Straße 61

74078 Heilbronn / Germany

Phone: +49 7131 / 28510 - 0

Fax: +49 7131 / 28510- 26

Email: info@gts-countmaster.com

Web: www.gts-countmaster.com



# Countmaster CL 464


### Technical specifications:

Max. counting speed:	65 stacks / hour
Countable material:	paper, polymer
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Weight of the material:	70 - 120 g/m <sup>2</sup>
Max. paper cut size:	700 x 820 mm
max. paper cat size.	700 X 020 111111
Min. paper cut size:	475 x 450 mm
May pile height including pallet	1300 mm
Max. pile height including pallet:	1300 111111
Electrical connection:	3 phase / N 400 V AC / 50-60 Hz.
	42 IW
Power:	13 kW
Dimensions:	5185 x 3175 x 2350 mm (L x W x H)
	(L x W x H)
Woight	approx 2050 kg
Weight:	approx. 2850 kg

# special machines

### Countmaster CL 464

Layout:



- 1. Loader
- 2. Transfer unit
- 3. Vibration unit
- 4. Conveyor belt table
- 5. Finishing line



### Countmaster CL 464

#### Basic configuration:

- Loading can be done using a forklift or pallet truck
- Ergonomic work
- Vibration unit integrated
- Integration into the finishing line possible (full automatic)
- Programmable Logic Controller available
- Operation and setup of the machine by multi-lingual full colour touch screen
- Easy and fast to operate

- Maintenance unit for compressed air
- Integrated vacuum pump
- Internal memory to store counting results
- USB, ethernet, RS232 interface
- Maintenance friendly
- Counting results only deletable by authorized operators (password protection)
- Machine designed for multi-shift operation