# special machines

## **Countmaster CS 399**



Note counting machine



Address: Böllinger Straße 61

74078 Heilbronn / Germany

**Phone:** +49 7131 / 28510 - 0

**Fax:** +49 7131 / 28510- 26

**Email:** info@gts-countmaster.com

Web: www.gts-countmaster.com




#### **Technical specifications:**

Max. counting speed:	depends to disk (page 5)
Countable material:	paper
	' '
Weight of the material:	depends to disk (page 5)
Max. paper cut size:	100 x 200 mm
Min. paper cut size:	45 x 80 mm
iviiri. paper cut 3ize.	43 X 00 Hilli
Max. packet size:	up to 130 mm
Electrical connection:	Single phase / N-230 V AC / 50-60 Hz.
	0.01111
Power:	0,6 kW
Dimensions:	995 x 840 x 1454 mm
	(L x W x H)
Weight:	approx. 250 kg



#### Layout:





#### **Basic configuration:**

- Programmable Logic Controller available
- Operation and setup of the machine by multi-lingual full colour touch screen
- Easy and fast to operate
- Internal memory to store counting results
- Integrated vacuum pump
- Machine designed for multi-shift operation
- Maintenance friendly

- Safe your counting results on an USB
- Counting results only deletable by authorized operators (password protection)
- Maintenance unit for compressed air
- Counting results (good/bad) can be symbolized by colours (green/red) in the full screen of the operating display
- Transport rolls
- USB, ethernet, RS232 interface



#### Counting disk information:

Features:	Counting disk C3	Counting disk V8	Counting disk V8R 40 gr
Number of segments	6	6	6
Diameter	119,6 mm	119,6 mm	119,6 mm
Grammage	35 - 140 gramm	50 - 120 gramm	40 - 110 gramm
Paper offset	- 3 mm	- 1 mm	- 1 mm
Max. counting speed	8600 notes / min.	8600 notes / min.	8600 notes / min.
Range of application	corner counting	corner counting	corner counting



#### Options:

● integrated compressor (OP0004\_10399\_0)

● special voltages (OP0036\_10399\_0)

Subject to modification / Version: 02.2020.e.v1